

Clinical Image

Exclusive Image Gallery on Human Spinal Cord Regeneration

Giselher Schalow*

MD, PhD, Untere Kirchmatte 6, CH-6207 Nottwil, Switzerland

Received: 22 May, 2019

Accepted: 15 June, 2019

Published: 16 June, 2019

*Corresponding author: Giselher Schalow, Professor, Untere Kirchmatte 6, CH-6207 Nottwil, Switzerland, E-mail: g_schalow@hotmail.com

<https://www.peertechz.com>




Figure 18: A. Improvement of high-load coordination dynamics (CD) values in a patient with severe brain injury upon coordination dynamics therapy for several years. The high-load CD values were obtained by summing up the single CD values for forward and backward exercising, Δ (high-load CD value) = $\Delta 20N + \Delta 50N + 100N + \Delta 150N + 200N + \Delta 150N + \Delta 100N + \Delta 100N + \Delta 50N + \Delta 20N + \Delta 20N$. B, C. For comparing the rate of repair, the improvement curves of the high-load coordination dynamics values of an athlete (C) and a healthy pupil (B) are inserted. Note that the brain-injured patient needed much more time to achieve similar good CD values. D. Continuation of therapy. The substantial improvement of the high-load CD values (lower values), in the middle of 2018, motivated the patient Sotiris to continue his therapy at the limit.

Copyright: © 2019 Schalow G. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.