

In this issue

Research Article

[Open Access](#) [Research Article](#) PTZAID:APRC-6-165

[Chronic obstructive pulmonary disease in patients with stable heart failure: Prevalence and associated factors](#)

Published On: December 22, 2020 | Pages: 090 - 095

Author(s): Mbatchou Ngahane Bertrand Hugo*, Che Vanessa Lum, Abinkeng Tazifua Ebenezer, Dzudie Anastase, Ngote Roger, Kamdem Felicité and Mandengue Samuel Honoré

Background: Chronic Obstructive Pulmonary Disease (COPD) is characterized by irreversible airflow limitation in the lungs. COPD frequently coexist with Heart Failure (HF) but most patients go undiagnosed because of similarity of symptoms. Data on prevalence of COPD in HF are discrepant and scarce. In addition, associated factors of COPD in these patients have not been ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000065](https://doi.org/10.17352/aprc.000065)

[Open Access](#) [Research Article](#) PTZAID:APRC-6-160

[Study of biochemical profile in tubercular pleural and peritoneal effusion in the sub-himalayan region patients](#)

Published On: October 13, 2020 | Pages: 072 - 077

Author(s): Kiran Gupta, Ashraf Ali Khan, Tariq Masood and Waseem Feroze Bhat*

Tuberculosis (TB) is a dangerous infection affecting about one third of the world population, despite the availability of affordable and effective chemotherapy, remaining one of the major causes of death from a single infectious agent worldwide. Here the measurement of ADA, LDH, protein and glucose has been advocated to help diagnose tuberculous pleural and peritoneal ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000060](https://doi.org/10.17352/aprc.000060)

[Open Access](#) [Research Article](#) PTZAID:APRC-6-154

[Clinical Study of the effects of Immutonic capsule in human volunteers with flu](#)

[symptoms](#)

Published On: June 26, 2020 | Pages: 054 - 057

Author(s): Hussien O Alkadi*, Mohamed HK and Taha HK

Introduction: Many herbs and natural food materials have been historically recognized as an effective panacea that can establish a balanced inflammatory response and promoting healthy immune response as well as have antibacterial and viral effects. The clinical use of some medications can cause serious side effects. We proposed that natural ingredients could serve as ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000054](https://doi.org/10.17352/aprc.000054)

[Open Access](#) | [Research Article](#) | PTZAID:APRC-6-151

[A Post-Mortem Examination of COVID-19 Pulmonary Pathology in 9 Cases](#)

Published On: June 09, 2020 | Pages: 045 - 047

Author(s): Alexis Bloom, Austyn Colter, Max Jacobsen, Domnique Battles, Tamara Albertson and George Sandusky

A new novel virus called SARS-CoV-2 has expanded into a pandemic in the past several months. The virus is an acute respiratory RNA virus that has symptoms in three clinical groups: asymptomatic, suspicious, and COVID-19 positive. ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000051](https://doi.org/10.17352/aprc.000051)

[Open Access](#) | [Research Article](#) | PTZAID:APRC-6-149

[Measurement of maximal respiratory static pressure in stable COPD patients and their co-rrrelation with various physiological anthropometric and spirometry parpmeters and arterial blood gas tension](#)

Published On: May 26, 2020 | Pages: 033 - 042

Author(s): Pradeep Kumar Vyas*, Priyanka S Bindroo, Madhavi Gondha, Rajeev S Mathur, Gaurav Ghtawat and Vidyadhara Lakkappan

The strength of respiratory muscles can be evaluated from static measurement (P_Imax and P_Emax) or inferred from dynamic measurement such as maximal voluntary ventilation. Maximal inspiratory pressure and Maximal expiratory pressure are simple, convenient and non-invasive measurement of respiratory muscle strength. Respiratory muscle strength decreases in COPD patients ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000049](https://doi.org/10.17352/aprc.000049)

[Respiratory Management of Myotonic Dystrophy](#)

Published On: May 06, 2020 | Pages: 014 - 016

Author(s): John R Bach*, Giulio Chiarello and Somnath Gonapa

Patients with myotonic dystrophy can avoid episodes of respiratory failure by using up to continuous noninvasive ventilatory support (CNVS). Of 154 patients consecutively presenting to a neuromuscular disease clinic, 143 had types 1 or 2 and 11 had congenital myotonic dystrophy. Of the 76 who came multiple times, 41 were prescribed and used at least sleep NVS to relieve ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/aprc.000043](#)

[Therapeutic approach with anabolic steroids in chronic obstructive pulmonary disease: Their role in improving patients' quality of life](#)

Published On: April 22, 2020 | Pages: 007 - 011

Author(s): Davi M Vidal, Lucas ANS Fonseca, Pedro C Morato Filho and Artur Laizo*

Introduction: Aging can be defined like a progressive and irreversible natural process. Chronic smoking shows the health care absence, 47% male smoking and 12% female smoking. Cigarette contains more than 4000 substances, in which 50 can develop neoplasm and many varied comorbidities like pituitary, thyroid, adrenal and gonadotrophic mismatch. It also affects calcium ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/aprc.000041](#)

[Correlation of clinical, radiologic and pathologic manifestations with prognosis in lung cancer patients](#)

Published On: February 05, 2020 | Pages: 001 - 006

Author(s): Halil Yanardag, Cuneyt Tetikkurt*, Cigdem Papila, Muammer Bilir and Seza Tetikkurt

Many different factors that are extremely variable for each individual affect the survival of lung cancer patients. Prognosis in lung cancer depends upon tumor type, patient immunity and treatment modalities. The objective of our study was to determine the influence of clinical manifestations including the patient symptoms, laboratory findings, imaging modalities

and ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aprc.000040

Review Article

[Open Access](#) | [Review Article](#) | PTZAID:APRC-6-159

[The effectiveness of different types of face masks](#)

Published On: September 22, 2020 | Pages: 068 - 071

Author(s): Queen G Wamungu*, Joan Liverpool, Crystal Loney, Jodene Brevitte and Nirvani Goberdhan

The Novel Coronavirus (COVID-19) continues to be a major health burden in many countries around the world with astonishing reports of fatalities. The burden on the health care systems around the world has been tremendous with a death toll of over 190,000 deaths in the US [1]. According to the World Health Organization (WHO), the Sars-CoV-2 virus that causes COVID-19 d ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aprc.000059

Case Report

[Open Access](#) | [Case Report](#) | PTZAID:APRC-6-161

[Lung cavitation-a rare complication in COVID-19 patients: A case report](#)

Published On: October 15, 2020 | Pages: 078 - 080

Author(s): Bhoomi Angirish* and Ketan Parmar

Background: Usually, in clinically cured patients with viral pneumonia, the pulmonary lesions gradually resolve and show complete remission. In very few severe patients, there are residual lesions and fibrosis. Since SARS-CoV-2 is a new disease, the healing process of infected pulmonary lesions is not well known and is variable. Case presentation: This is a case rep ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aprc.000061

[Open Access](#) | [Case Report](#) | PTZAID:APRC-6-157

[Acupuncture-Induced Pneumothorax: A Recurring Problem](#)

Published On: July 31, 2020 | Pages: 062 - 064

Author(s): Farhat Mushtaq* and Louise Polson

Complications related to acupuncture can have significant consequences for the patient as described in our case report below. However we believe that patients are not made aware of these complications and therefore we would like to see changes made to the way acupuncture is practiced in the United Kingdom. ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000057](https://doi.org/10.17352/aprc.000057)

[Open Access](#) | [Case Report](#) | PTZAID:APRC-6-153

[**Post-inflammatory pulmonary fibrosis in a discharged COVID-19 patient: Effectively treated with Pirfenidone**](#)

Published On: June 23, 2020 | Pages: 051 - 053

Author(s): Zhan Xi*, Zhao Zhigang and Li Ting

The coronavirus disease 2019 (COVID-19) caused by Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV2) has led to a pandemic situation. According to the WHO classification, COVID-19 patients could be classified with severity as uncomplicated illness, mild pneumonia, severe pneumonia, acute respiratory distress syndrome (ARDS), sepsis, and septic shock [1]. Chin ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000053](https://doi.org/10.17352/aprc.000053)

[Open Access](#) | [Case Report](#) | PTZAID:APRC-6-152

[**Lessons from COVID-19 plain chest radiographs on pathophysiology, early diagnosis and therapeutics**](#)

Published On: June 23, 2020 | Pages: 048 - 050

Author(s): Ndaba Sibusiso, Sabela Tholakele, Mnqwazi Chizama, Sithole Sthembiso, Sithole Nokwanda, Mashigo Boitumelo, Mhlana Nontembiso and Ntshalintshali Siphon*

Introduction: There are multiple radiographic manifestations of COVID-19 described in recent literature on plain chest radiographs and lung CT scans. We discuss observations on apparent similarities and differences seen on plain chest radiographs of confirmed COVID-19 cases with clinically mild, moderate and severe form of disease. Material and method: We randomly s ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000052](https://doi.org/10.17352/aprc.000052)

[Open Access](#) [Case Report](#) PTZAID:APRC-6-148

[Pulmonary Epithelioid Hemangioendothelioma-Mimicking Mesothelioma](#)

Published On: May 23, 2020 | Pages: 030 - 032

Author(s): Zeynep Bayramoglu*, Tolga Semerkant, Hdr Esme and Yasar Unlu

Pulmoner epithelioid hemangioendothelioma is a rare and multifocal malignant tumor of vascular origin. Patients are generally asymptomatic. ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000048](https://doi.org/10.17352/aprc.000048)

[Open Access](#) [Case Report](#) PTZAID:APRC-6-147

[The Onset of Miliary Tuberculosis Presenting after an Episode of Angina, Palpitations and Cardiac Stent Placement](#)

Published On: May 18, 2020 | Pages: 026 - 029

Author(s): Suha Moten*, Alyssa Panganiban, Anis Abdul Rauf and Jaqueline Walker

The novel Coronavirus of 2019 (COVID-19) has dramatically reminded the world of the importance of noting pertinent travel history. ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000047](https://doi.org/10.17352/aprc.000047)

[Open Access](#) [Case Report](#) PTZAID:APRC-6-146

[High Flow Nasal Oxygen as a Treatment Option for Acute Respiratory Distress Syndrome in Coronavirus \(COVID-19\) Infection](#)

Published On: May 16, 2020 | Pages: 023 - 025

Author(s): Jlal Bathish, Ayat Zabida, Muhammad Kashkush, Doron Mulla, Yael Berman, Lee Cohen and Aliza Zeidman*

The ongoing outbreak of COVID-19 that began in Wuhan, China, has constituted a Public Health Emergency of International Concern, with cases confirmed in multiple countries. ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000046](https://doi.org/10.17352/aprc.000046)

Latent Multi-drug Resistant Tuberculosis: An Unaddressed Problem

Published On: November 25, 2020 | Pages: 084 - 086

Author(s): Gyanshankar Mishra* and Jasmin Mulani

It is estimated that three of every 1,000 individuals worldwide have latent Multidrug-Resistant Tuberculosis (MDR-TB) infection. Management of latent MDR-TB is an integral component in our strategies targeting global TB elimination. We are currently targeting only latent drug-sensitive TB as there are no consensus guidelines on the management of latent MDR-TB. Such an ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/aprc.000063](#)

Effects of COVID-19 on non-communicable diseases and reproductive health services in a district hospital of Nepal

Published On: September 03, 2020 | Pages: 065 - 067

Author(s): Rajan Ghimire* and Sugat Adhikari

COVID-19 pandemic has an impact on the socio-economic, cultural, and health of people. There is increased morbidity if a patient with comorbidities (hypertension, diabetes) is infected with SARS-CoV 2. On the other hand, there are increased complications related to hypertension, diabetes, and unwanted pregnancies during this pandemic. We did a retrospective study in a ...

[Abstract View](#) | [Full Article View](#) | [DOI: 10.17352/aprc.000058](#)

In hospital physiotherapy treatment for Covid-19 patients – Management and clinical practice

Published On: May 13, 2020 | Pages: 017 - 020

Author(s): Rachel Yamin, Jlal Bathish, Yael Berman, Anas Isa, Zinaida Fradin and Aliza Zeidman*

World Health Organization has declared corona virus disease (COVID 19) a global pandemic and public health emergency, following the outbreak in Wuhan, China in December 2019. Fever, dry cough and fatigue are the main manifestations, but the main concern is cases that deteriorated to severe pneumonia and ARDS. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aprc.000044

Letter to Editor

[Open Access](#) | [Letter to Editor](#) | PTZAID:APRC-6-164

[Should health services be centralized and free in pandemics? The case of Turkey as an example](#)

Published On: November 27, 2020 | Pages: 087 - 089

Author(s): Mehmet Selim Comez*, Hilmi Demirkiran and Ilhan Bahar

The scientific board published the prevention and treatment guidelines for COVID-19 in January before the emergence of COVID-19 cases in Turkey. The constantly updated guidelines address all disease stages from the first diagnosis to the intensive care processes in detail. Furthermore, a list of reference hospitals across the country is provided in the guideline. In F ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aprc.000064

[Open Access](#) | [Letter to Editor](#) | PTZAID:APRC-6-150

[Protection for Medical Workers Confronting the Challenges During the COVID-19 Outbreak-A Case of China](#)

Published On: June 01, 2020 | Pages: 043 - 044

Author(s): Chenyi Shao, Siwei Zheng, Shuangyi Sun, Zhen Xie and Xiaoting Pan*

The COVID-19 outbreak is a major public health emergency initially occurred in Hubei, the epicenter in China, and then it rapidly turned into a global pandemic with much more than five million infected cases 28 May, 2020 [1]. Thanks to the joint efforts from all parties, especially the great contributions from Chinese medical workers, China's domestic situation has im ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aprc.000050

Mini Review

[Cystic Fibrosis Mini Review](#)

Published On: October 28, 2020 | Pages: 081 - 083

Author(s): Baran Ezequiel*

Cystic Fibrosis (CF) is a complex, multisystemic disease that predominantly affects the gastrointestinal and pulmonary tracts. The essential alteration is the production of abnormal secretions in the exocrine glands, including the salivary and sweat glands, the pancreas, the large intestine, and the tracheobronchial tree [1]. ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000062](https://doi.org/10.17352/aprc.000062)

[General Health and Respiration](#)

Published On: April 25, 2020 | Pages: 012 - 013

Author(s): Anshu Manocha*

Medical Science uses the medicines and probiotics for the respiratory diseases. For example for the current novel Corona virus infection management medicines, masks, gloves, goggles, regular hand cleaning and social distancing are being used across the world to prevent and control the spread of respiratory droplet infection. Covid 19 is severe acute respiratory corona ...

[Abstract View](#) | [Full Article View](#) | DOI: [10.17352/aprc.000042](https://doi.org/10.17352/aprc.000042)

Opinion

[How to prepare optimum cell blocks in lung cancer: Opinion](#)

Published On: July 20, 2020 | Pages: 060 - 061

Author(s): Fanny S Desai*

Fine needle aspiration with cell blocks can diagnose lung cancers in high risk patients. As ancillary study is important for lung cancer diagnosis, subtyping and prediction of targeted therapy response, it is important that cell block made have good cellularity and morphology. Here we describe the novel cell block preparation technique for pulmonary cytology specimens ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aprc.000056

[Open Access](#) | [Opinion](#) | PTZAID:APRC-6-155

[The use of aerosolized - Adrenergic agonist therapy after lung transplantation in pediatric age](#)

Published On: June 29, 2020 | Pages: 058 - 059

Author(s): Giorgia Grutter* and Zaccaria Ricci

It is my opinion the use of aerosolized –adrenergic agonist such as salbutamol may be helpful not only to reduced the early mortality but also the chronic allograft dysfunction after lung transplantation in children The reduction of pulmonary edema could be prevent the induction of Obstructive Bronchiolites Syndrome (less pneumonia and viral infections etc) suc ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aprc.000055

[Open Access](#) | [Opinion](#) | PTZAID:APRC-6-145

[Distributive Justice: Lessons of a Pandemic](#)

Published On: May 16, 2020 | Pages: 021 - 022

Author(s): José Filipe Monteiro*

For almost six months, the mass media are delivering round the clock news, reports, and chronicles about the Covid19 pandemics. ...

[Abstract View](#) | [Full Article View](#) | DOI: 10.17352/aprc.000045